

THE 2022 SNIPER
PURE SPEED MACHINE

100MM SNIPER XC // 120MM SNIPER 7

INTENSE

SNIPER XC *FRO* SHOWN

THE 2022 SNIPER

Whether you are racing cross-country against the world's best, taking on a marathon event or tackling your local loop, the Sniper is the XC bike for you. With the Sniper we have created a pure full-suspension XC bike with a true INTENSE spirit.

"With the Sniper's modern geometry I designed a bike that is sharp, precise and athletic, but with a downhill spirit... and of course it's super fast."
Jeff Steber, INTENSE Founder and CEO

Featuring a super lightweight full carbon frame, rolling on 29" wheels, with progressive XC geometry and either 100mm (XC) or 120mm (T) model options. The Sniper is all about off-road speed... both up and down. It is fast and fiery, a truly innovative XC bike... INTENSE style.

- 100MM SNIPER XC / 120MM SNIPER T
- 29" WHEELS
- SUPER LIGHT WEIGHT
- 1x12 GEARING
- PROGRESSIVE MODERN XC GEOMETRY
- JS TUNED XC LINK



PURE SPEED MACHINE

2022 INTENSE SNIPER

THE 2022 SNIPER RANGE

- FRO BUILD OPTION FOR SNIPER XC
- ELITE, PRO & EXPERT BUILD OPTIONS FOR SNIPER T
- FRAME ONLY OPTIONS FOR BOTH SNIPER XC & T
- NEW COLORS AND GRAPHICS

FRAME ONLY

EXPERT

PRO

ELITE

FRO

SNIPER
T



SNIPER
XC



INTENSE



2022 INTENSE SNIPER

**THE SNIPER IS
DESIGNED FOR
SPEED... BOTH UP
AND DOWN**

INTENSE

FEATURES 2022

2022 INTENSE SNIPER



CARBON TOP LINK

A key element of the Sniper's JS Tuned suspension. Stiff, light and super strong.



JS XC LINK

Designed to offer incredibly smooth performance on mixed terrain, optimized for pedaling efficiency and performance.

SUPER LIGHT WEIGHT OPTIMIZED FRAME CARBON LAY-UP

We use a very specific carbon lay-up to create a frame that is stiff and strong, but that also has 'give' in all the right places. The Sniper XC and T are super light weight: XC 2.18KG (Med, frame) and T at 2.47KG. Titanium hardware throughout, and yes, you can fit two water bottles.



INTERNAL CABLE ROUTING

Internally guided routing for the shifter, dropper post and rear brake, which makes the Sniper neat, tidy, noise free and easy to work on.



DROPPER POSTS

We believe that height adjustable seat posts are vital on XC bikes. So all of our our build packages feature dropper posts as standard.



SNIPER XC SINGLE REAR STRUT

Super sleek and weight saving single sided vertical strut on the rear triangle of the 100mm travel XC.



SNIPER T DUAL REAR STRUT

The extra travel of 120mm T needs a little more rigidity in the rear end, so we use a dual sided vertical strut.

INTENSE

SNIPER XC FRO 2022

100MM TRAVEL

2022 INTENSE SNIPER



FRO: 'FOR RACE ONLY' **SPECIAL EDITION**

ROCKSHOX SID ULTIMATE SL **SUSPENSION, 100MM**

Redesigned from the ground up in 2021. Built for racers. Built for speed.

SRAM XX1 AXS EAGLE 1X12 **ELECTRONIC SHIFTING**

Effortless wireless electronic shifting.

SINGLE STRUT **ASYMMETRICAL REAR END**

The ultimate lightweight design.

MAGNESIUM LOWER LINK, **CARBON TOP LINK**

The perfect combination of strength and weight.

KIND SHOCK LEV-CI DROPPER POST

Full unidirectional carbon dropper post with dedicated sizing.

HIDDEN 'TOOL FREE' **REAR AXLE LEVER**

Integrated lever that hides within the axle, for tool free wheel removal.

MAXXIS IKON 29 X 2.20 TIRES

High performance from Maxxis. Light and fast rolling.

WEIGHT

10.18KG / 22.44LB (MED)

INTENSE

SNIPER T EXPERT & PRO 2022

120MM TRAVEL

2022 INTENSE SNIPER

EXPERT



PRO



DOUBLE STRUT REAR END

A more 'traditional' rear end for the Sniper T.

ALLOY LOWER LINK, CARBON TOP LINK

Improved stiffness for the longer travel T.

FOX 34 FORK, 120MM

Rigidity and performance.

SRAM NX EAGLE (EXPERT) X01 EAGLE (PRO) DRIVETRAIN

1x12 drivetrain, with 50 tooth rear cassette on the Expert build and a 52 on the Pro.

SHIMANO (PRO) AND TRP (EXPERT) BRAKES

Reliable and dependable braking from Shimano and TRP.

KINDSHOCK LEV-CI DROPPER POST (PRO ONLY)

Full unidirectional carbon dropper post with dedicated sizing.

HIDDEN 'TOOL FREE' REAR AXLE LEVER

Integrated lever that hides within the axle, for tool free removal.

MAXXIS TIRES

Quality Maxxis rubber, Aggressor Dual Compound EXO.

SNIPER T WEIGHTS

EXPERT 12.92KG / 28.48LB (MED)

PRO 12.1KG / 26.61LB (MED)

INTENSE

SNIPER T ELITE 2022

120MM TRAVEL

2022 INTENSE SNIPER



DOUBLE STRUT REAR END

A more 'traditional' rear end for the Sniper T.

ALLOY LOWER LINK, CARBON TOP LINK

Improved stiffness for the longer travel T.

FOX 34 KASHIMA FORK, 120MM

Rigidity and performance, and that all important Kashima coating.

SRAM X01 EAGLE DRIVETRAIN

Top of the range SRAM 1x12 drivetrain, with 52 tooth rear cassette.

SHIMANO XT BRAKES

Reliability and quality from Shimano. Braking perfection.

KINDSHOCK LEV-CI DROPPER POST

Full unidirectional carbon dropper post with dedicated sizing.

HIDDEN 'TOOL FREE' REAR AXLE LEVER

Integrated lever that hides within the axle, for tool free wheel removal.

MAXXIS TIRES

Quality Maxxis rubber, Aggressor Dual Compound EXO.

SNIPER T ELITE WEIGHT

11.65KG / 25.68LB (MED)

INTENSE

2022 INTENSE SNIPER

**WITH THE
SNIPER WE'VE
CREATED AN
XC BIKE WITH
A DOWNHILL
SPIRIT**

INTENSE

FRAME ONLY SPECS

2022 INTENSE SNIPER

SNIPER XC FRAME

FRAME	SNIPER 29" XC MONOCOQUE CARBON FRAME. OPTIMIZED LAYUP CARBON FIBER. CARBON TOP LINK. TITANIUM HARDWARE. INTERNAL SHIFT. DROPPER POST AND BRAKE ROUTING. FLAK GUARD.
TRAVEL SHOCK	100MM (4") FOX FACTORY FLOAT DPS / 165MM X 40MM
SIZES	SMALL, MEDIUM, LARGE, X-LARGE
COLOR	WHITE (GLOSS FINISH)
WEIGHT	2.18KG / 4.81LB

SNIPER T FRAME

SNIPER 29" TRAIL MONOCOQUE CARBON FRAME. OPTIMIZED LAYUP CARBON FIBER. CARBON TOP LINK. TITANIUM HARDWARE. INTERNAL SHIFT. DROPPER POST AND BRAKE ROUTING. FLAK GUARD.
120MM (4.7") FOX FACTORY FLOAT DPS / 165MM X 45MM
SMALL, MEDIUM, LARGE, X-LARGE
BLACK / BLUE (GLOSS FINISH) BLACK / SILVER (GLOSS FINISH)
2.45KG / 5.4LB

COLOR OPTIONS

BLUE (GLOSS FINISH)

SNIPER XC FRO
COLOR AVAILABLE ON FULL BUILD ONLY



WHITE (GLOSS FINISH)

SNIPER XC FRAME



BLACK / SILVER (GLOSS FINISH)

SNIPER T FRAME
SNIPER T EXPERT



BLACK / BLUE (GLOSS FINISH)

SNIPER T FRAME
SNIPER T EXPERT
SNIPER T ELITE
SNIPER T PRO



INTENSE

FULL BUILD SPECS

2022 INTENSE SNIPER

SNIPER XC FRO



FRAME	SNIPER 29" XC MONOCOQUE CARBON FRAME. OPTIMIZED LAYUP CARBON FIBER. CARBON TOP LINK. TITANIUM HARDWARE. INTERNAL SHIFT. DROPPER POST AND BRAKE ROUTING. ISCG05 MOUNT. FLAK GUARD.
TRAVEL	100MM (4")
FORK	ROCKSHOX SID SL ULTIMATE 100MM / BOOST
SHOCK	ROCKSHOX SID LUXE ULTIMATE RL 165MM X 40MM
WHEELSET	DT SWISS XRC 1200 CARBON / DT SWISS 180 HUBS
REAR MECH	SRAM XX1 AXS EAGLE 12SP
SHIFTER	SRAM XX1 AXS EAGLE 12SP
CRANK	SRAM XX1 AXS EAGLE 12SP/ DUB / 34T 170MM SM / 175MM MD-XL / BOOST
BB	SRAM DUB BB92
CASSETTE	SRAM XG 1299 EAGLE 12SP / 10-52T
CHAIN	SRAM XX1 EAGLE 12SP
BRAKES	SRAM LEVEL ULTIMATE CARBON FRONT / REAR
ROTOR	SRAM CLX 160MM FRONT / REAR
POST	KINDSHOCK LEV CI 31.6MM 125MM SM / 150MM MD / 175MM LG-XL
FRONT TIRE	MAXXIS ICON MAXX SPEED EXO 3C 29" X 2.20"
REAR TIRE	MAXXIS ICON MAXX SPEED EXO 3C 29" X 2.20"
HEADSET	TANGE SEIKI INTEGRATED / IS41-IS52 / 40
BAR	INTENSE RECON CARBON FLAT 760MM
STEM	INTENSE RECON ELITE 50MM
GRIPS	INTENSE NANO FOAM
SADDLE	FABRIC LINE WIDE ELITE
COLOR	BLUE (GLOSS FINISH)
SIZES	SMALL. MEDIUM. LARGE. X-LARGE
WEIGHT(MED)	10.18KG / 22.44LB

INTENSE

FULL BUILD SPECS

2022 INTENSE SNIPER

	SNIPER T EXPERT	SNIPER T PRO	SNIPER T ELITE
FRAME	SNIPER 29" TRAIL MONOCOQUE CARBON FRAME. OPTIMIZED LAYUP CARBON FIBER. CARBON TOP LINK. TITANIUM HARDWARE. INTERNAL SHIFT. DROPPER POST AND BRAKE ROUTING. ISCG05 MOUNT. FLAK GUARD.		
TRAVEL	120MM (4.7")	120MM (4.7")	120MM (4.7")
FORK	FOX PERFORMANCE 34 FLOAT / 20MM / BOOST	FOX PERFORMANCE ELITE 34 FLOAT / 120MM / BOOST	FOX FACTORY 34 FLOAT / 120MM / BOOST
SHOCK	FOX PERFORMANCE FLOAT DPS / 165MM X 45MM	FOX PERFORMANCE ELITE FLOAT DPS / 165MM X 45MM	FOX FACTORY FLOAT DPS / 165MM X 45MM
WHEELSET	E13 XCX XC 27MM ALUMINUM RIM / INTENSE ALLOY HUB / BOOST	DT SWISS XM1700 30MM INNER / DT SWISS 350 HUBS	DT SWISS XRC 1501 CARBON 30MM INNER / DT SWISS 240 HUBS
REAR MECH	SRAM NX EAGLE 12SP	SRAM X01 EAGLE 12SP	SRAM X01 EAGLE 12SP
SHIFTER	SRAM NX EAGLE 12SP	SRAM GX EAGLE 12SP	SRAM X01 EAGLE 12SP
CRANK	SRAM NX EAGLE 12SP / DUB / 32T / 170MM SM / 175MM MD-XL / BOOST	SRAM GX CARBON EAGLE 12SP / DUB / 34T / 170MM SM / 175MM MD-XL / BOOST	SRAM X1 CARBON EAGLE 12SP / DUB / 34T / 170MM SM / 175MM MD-XL / BOOST
BB	SRAM DUB BB92	SRAM DUB BB92	SRAM DUB BB92
CASSETTE	SRAM PG 1230 EAGLE 12SP / 11-50T	SRAM XG 1275 EAGLE 12SP / 10-52T	SRAM XG 1295 EAGLE 12SP / 10-52T
CHAIN	SRAM NX EAGLE 12SP	SRAM GX EAGLE 12SP	SRAM GX EAGLE 12SP
BRAKES	TRP SLATE T4	SHIMANO XT BR-M8100 FRONT / REAR	SHIMANO XT BR-M8100 FRONT / REAR
ROTORS	TRP 180MM	SHIMANO RT76 180MM FRONT / 160MM REAR	SHIMANO RT76 180MM FRONT / REAR
POST	INTENSE RECON DROPPER 31.6MM / 125MM SM / 150MM MD / 170MM LG / 200MM XL	KINDSHOCK LEV CI 31.6MM / 125MM SM / 150MM MD / 175MM LG-XL	KINDSHOCK LEV CI 31.6MM / 125MM SM / 150MM MD / 175MM LG-XL
FRONT TIRE	MAXXIS AGGRESSOR EXO 29" X 2.30"	MAXXIS AGGRESSOR EXO 29" X 2.30"	MAXXIS AGGRESSOR EXO 29" X 2.30"
REAR TIRE	MAXXIS AGGRESSOR EXO 29" X 2.30"	MAXXIS AGGRESSOR EXO 29" X 2.30"	MAXXIS AGGRESSOR EXO 29" X 2.30"
HEADSET	CANE CREEK AER INTEGRATED / IS41-IS52/40	TANGE SEIKI INTEGRATED / IS41-IS52/40	TANGE SEIKI INTEGRATED / IS41-IS52/40
BAR	INTENSE RECON ALLOY 760MM SM-MD / 780MM LG-XL	INTENSE CARBON ELITE 760MM SM-MD / 780MM LG-XL	INTENSE CARBON ELITE 760MM SM-MD / 780MM LG-XL
STEM	INTENSE RECON 60MM SM-MD / 70MM LG-XL	INTENSE ELITE 50MM	INTENSE ELITE 50MM
GRIPS	INTENSE LOCK-ON	INTENSE LOCK-ON	INTENSE LOCK-ON
SADDLE	WTB SILVERADO SPORT	WTB SILVERADO FUSION	WTB SILVERADO FUSION
COLOR	BLACK/BLUE (GLOSS FINISH) BLACK/SILVER (GLOSS FINISH)	BLACK/BLUE (GLOSS FINISH)	BLACK/BLUE (GLOSS FINISH)
SIZES	SMALL. MEDIUM. LARGE. X-LARGE	SMALL. MEDIUM. LARGE. X-LARGE	SMALL. MEDIUM. LARGE. X-LARGE
WEIGHT(MED)	12.92KG / 28.48LB	12.1KG / 26.68LB	11.65KG / 25.68LB

INTENSE

GEOMETRY

2022 INTENSE SNIPER

SNIPER XC // SIZE LARGE

REACH // 468mm

STACK // 584mm

HEAD ANGLE // 67.5°

SEAT ANGLE // 74°

WHEELBASE // 1179mm

CHAINSTAY // 439mm



SNIPER XC (MM / INCH)

SIZE	Small	Medium	Large	Extra Large
WHEELBASE	1127mm / 44.4"	1152mm / 45.37"	1179mm / 46.4"	1206mm / 47.5"
TOP TUBE LENGTH	584mm / 23.0"	609mm / 24.0"	635mm / 25"	660mm / 26"
CHAINSTAY LENGTH	439mm / 17.3"	439mm / 17.3"	439mm / 17.3"	439mm / 17.3"
HEADTUBE LENGTH	90mm / 3.54"	95mm / 3.7"	105mm / 4.13"	115mm / 4.5"
HEADTUBE ANGLE	67.5°	67.5°	67.5°	67.5°
REACH	421mm / 16.6"	444.5mm / 17.5"	468mm / 18.4"	490mm / 19.3"
STACK	570mm / 22.45"	575mm / 22.6"	584mm / 23"	593mm / 23.4"
BB HEIGHT	330mm / 13.0"	330mm / 13.0"	330mm / 13.0"	330mm / 13.0"
BB DROP	38mm / 1.50"	38mm / 1.50"	38mm / 1.50"	38mm / 1.50"
SEATTUBE ANGLE (EFFECTIVE)	74°	74°	74°	74°
SEATTUBE LENGTH	406mm / 16"	437mm / 17.2"	488mm / 19.2"	538mm / 21.2"
STANDOVER HEIGHT	769mm / 30.3"	771mm / 30.4"	776mm / 30.5"	781mm / 30.75"
FORK AXLE TO CROWN	503.7mm / 19.8"	503.7mm / 19.8"	503.7mm / 19.8"	503.7mm / 19.8"
FORK OFFSET	44mm / 1.73"	44mm / 1.73"	44mm / 1.73"	44mm / 1.73"
FRONT CENTER	689mm / 27.1"	715mm / 28.1"	742mm / 29.2"	768mm / 30.2"

GEOMETRY TAKEN AT TOP OUT WITH 503.7MM AXLE TO CROWN LENGTH AND 44MM FORK OFFSET.

INTENSE

GEOMETRY

2022 INTENSE SNIPER

SNIPER T // SIZE LARGE

REACH // 458mm

STACK // 592mm

HEAD ANGLE // 66.5°

SEAT ANGLE // 73°

WHEELBASE // 1195mm

CHAINSTAY // 439mm



SNIPER T (MM / INCH)

SIZE	Small	Medium	Large	Extra Large
WHEELBASE	1142mm / 45"	1168mm / 46"	1195mm / 47"	1221mm / 48"
TOP TUBE LENGTH	587.9mm / 23.1"	613mm / 24.1"	639mm / 25.2"	664mm / 26.1"
CHAINSTAY LENGTH	439mm / 17.3"	439mm / 17.3"	439mm / 17.3"	439mm / 17.3"
HEADTUBE LENGTH	90mm / 3.54"	95mm / 3.7"	105mm / 4.13"	115mm / 4.5"
HEADTUBE ANGLE	66.5°	66.5°	66.5°	66.5°
REACH	410.7mm / 16.2"	434.8mm / 17.1"	458mm / 18.0"	480.3mm / 18.9"
STACK	577mm / 22.7"	582mm / 22.9"	592mm / 23.3"	601mm / 23.7"
BB HEIGHT	338 mm / 13.3"	338mm / 13.3"	338mm / 13.3"	330mm / 13.0"
BB DROP	38mm / 1.50"	38mm / 1.50"	38mm / 1.50"	38mm / 1.50"
SEATTUBE ANGLE (EFFECTIVE)	73°	73°	73°	73°
SEATTUBE LENGTH	406mm / 16"	437mm / 17.2"	488mm / 19.2"	538mm / 21.2"
STANDOVER HEIGHT	779mm / 30.7"	781mm / 30.76"	786mm / 31"	791mm / 31.2"
FORK AXLE TO CROWN	527.1mm / 20.75"	527.1mm / 20.75"	527.1mm / 20.75"	527.1mm / 20.75"
FORK OFFSET	51mm / 2.01"	51mm / 2.01"	51mm / 2.01"	51mm / 2.01"
FRONT CENTER	704mm / 27.7"	730mm / 28.7"	757mm / 29.8"	783mm / 31"

GEOMETRY TAKEN AT TOP OUT WITH 527.1MM AXLE TO CROWN LENGTH AND 51MM FORK OFFSET.

INTENSE



INTENSE



WWW.INTENSECYCLES.COM

USA

42380 RIO NEDO RD,
TEMECULA, CA 92590
USA

INTENSE EUROPE SL

RONDA MAIOLS 1
08192 SANT QUIRZE DEL VALLÈS
BARCELONA
SPAIN

ASIA PACIFIC

LEVEL 2, 909 STURT STREET,
BALLARAT, VICTORIA 3350
AUSTRALIA